

EPD COMPENDIUM

We have gathered all Environmental Product Declarations EPDs for our product range in this compendium. Sustainability and transparency are central to our values and we understand the importance of accessible environmental documentation. Should you require further technical documentation or assistance in interpreting the data our team is always available to support you.

Guidance to access the EPD's and access the digital LCA data (ILCD)

Access the EPD via the link.
If use of the ILCD file is required, the link must be copied (the link must not be opened directly, as this will result in an error).
The copied link provides a direct path to the ECO Platform, which can be used in LCA software, including LCAbyg.

Compendium date: 16-04-2026

					EPD MODULES											
					PRODUCT INFORMATION				A1-A3		A4-A5		Danish building regulation (A1 A3, C3-C4)		Full EPD (A1-A5, B1-B7, C1-C4, D)	
RT number + format	Product name	EPD NR	ILCD	Plant	Product weight	Amount /m2	Weight /m2	Slips pr. brick	A1-A3 Kg CO2/ton	A1-A3 kg CO2/m2	A4-A5 Kg CO2/ton	A4-A5 kg CO2/m2	A1-A3, C3-C4 Kg CO2/ton	A1-A3, C3-C4 Kg CO2/m2	Full EPD Kg CO2/ton	Full EPD kg CO2/m2
Glazed brick	Glazed brick	MD-25012-EN rev1	ILCD Glazed	Vindø	2447	63,0	154,16	-	49,2	7,6	38,0	5,9	52,7	8,1	93,0	14,3
RT103 DK-NF	Prima Bologna	MD-25007-EN rev1	ILCD RT103	Vindø	2229	63,0	140,42	1	65,3	9,2	39,6	5,6	68,8	9,7	110,6	15,5
RT150 ULT	Ultima	MD-25028-EN rev1	ILCD RT150	Hammershøj	3770	42,0	158,34	1	192,5	30,5	28,0	4,4	196,0	31,0	226,3	35,8
RT151 ULT	Ultima	MD-25028-EN rev1	ILCD RT151	Hammershøj	3770	42,0	158,34	1	192,7	30,5	28,0	4,4	196,2	31,1	226,5	35,9
RT153 ULT	Ultima	MD-25029-EN rev1	ILCD RT153	Hammershøj	3500	42,0	147,00	1	83,3	12,2	29,4	4,3	86,8	12,8	118,5	17,4
RT154 ULT	Ultima	MD-25029-EN rev1	ILCD RT154	Hammershøj	3500	42,0	147,00	1	83,5	12,3	29,4	4,3	87,0	12,8	118,7	17,5
RT159 ULT	Ultima	MD-25028-EN rev1	ILCD RT159	Hammershøj	3590	42,0	150,78	1	50,5	7,6	28,9	4,4	54,1	8,2	85,3	12,9
RT160 ULT	Ultima	MD-25029-EN rev1	ILCD RT160	Hammershøj	3616	42,0	151,87	1	95,7	14,5	28,8	4,4	99,3	15,1	130,3	19,8
RT161 ULT	Ultima	MD-25028-EN rev1	ILCD RT161	Hammershøj	3770	42,0	158,34	1	192,7	30,5	28,0	4,4	196,2	31,1	226,5	35,9
RT162 ULT	Ultima	MD-25029-EN rev1	ILCD RT162	Hammershøj	3500	42,0	147,00	1	83,2	12,2	29,4	4,3	86,8	12,8	118,5	17,4
RT163 ULT	Ultima	MD-25029-EN rev1	ILCD RT163	Hammershøj	3500	42,0	147,00	1	83,3	12,2	29,4	4,3	86,8	12,8	118,5	17,4
RT164 ULT	Ultima	MD-25028-EN rev1	ILCD RT164	Hammershøj	3685	42,0	154,77	1	38,4	6,0	28,4	4,4	42,0	6,5	72,7	11,3
RT165 ULT	Ultima	MD-25029-EN rev1	ILCD RT165	Hammershøj	3500	42,0	147,00	1	81,8	12,0	29,4	4,3	85,3	12,5	117,0	17,2
RT166 ULT	Ultima FS	MD-25028-EN rev1	ILCD RT166	Hammershøj	3500	42,0	147,00	1	128,8	18,9	29,4	4,3	132,4	19,5	164,1	24,1
RT167 ULT	Ultima FS	MD-25028-EN rev1	ILCD RT167	Hammershøj	3500	42,0	147,00	1	152,3	22,4	29,4	4,3	155,9	22,9	187,6	27,6
RT168 ULT	Ultima FS	MD-25028-EN rev1	ILCD RT168	Hammershøj	3500	42,0	147,00	1	152,3	22,4	29,4	4,3	155,9	22,9	187,6	27,6
RT201 DK-NF	Alpha yellow smooth wirecut	MD-25022-EN rev1	ILCD RT201	Gandrup	1734	63,0	109,24	1	61,8	6,8	43,3	4,7	65,4	7,1	111,1	12,1
RT201 DK-NF	Alpha yellow smooth wirecut solid	MD-25022-EN rev1	ILCD RT201	Gandrup	2278	63,0	143,48	1	61,8	8,9	43,3	6,2	65,4	9,4	111,1	15,9
RT202 DK-NF	Alpha yellow oak wirecut	MD-25022-EN rev1	ILCD RT202	Gandrup	1734	63,0	109,24	1	61,8	6,8	43,3	4,7	65,4	7,1	111,1	12,1
RT202 DK-NF	Alpha yellow oak wirecut solid	MD-25022-EN rev1	ILCD RT202	Gandrup	2278	63,0	143,48	1	61,8	8,9	43,3	6,2	65,4	9,4	111,1	15,9
RT205 DK-NF	Alpha yellow antique wirecut	MD-25022-EN rev1	ILCD RT205	Gandrup	1734	63,0	109,24	1	61,8	6,8	43,3	4,7	65,4	7,1	111,1	12,1
RT205 DK-NF	Alpha yellow antique wirecut solid	MD-25022-EN rev1	ILCD RT205	Gandrup	2278	63,0	143,48	1	61,8	8,9	43,3	6,2	65,4	9,4	111,1	15,9
RT207 DK-NF	Classica yellow soft	MD-25023-EN rev1	ILCD RT207	Gandrup	2092	63,0	131,76	2	68,6	9,0	39,6	5,2	72,1	9,5	114,3	15,1
RT207 UK-NF	Classica yellow soft	MD-25023-EN rev1	ILCD RT207	Gandrup	2304	60,0	138,21	2	68,6	9,5	39,6	5,5	72,1	10,0	114,3	15,8
RT208 DK-NF	Alpha yellow smooth/flames wirecut	MD-25022-EN rev1	ILCD RT208	Gandrup	1734	63,0	109,24	1	62,9	6,9	43,3	4,7	66,4	7,3	112,2	12,3
RT208 DK-NF	Alpha yellow smooth/flames wirecut solid	MD-25022-EN rev1	ILCD RT208	Gandrup	2278	63,0	143,48	1	62,9	9,0	43,3	6,2	66,4	9,5	112,2	16,1
RT209 DK-NF	Classica yellow soft	MD-25007-EN rev1	ILCD RT209	Vindø	2221	63,0	139,89	1	62,5	8,7	40,9	5,7	66,1	9,2	109,2	15,3
RT210 DK-NF	Classica yellow soft/flames	MD-25023-EN rev1	ILCD RT210	Gandrup	2045	63,0	128,80	1	63,9	8,2	41,9	5,4	67,5	8,7	111,9	14,4
RT215 DE-RF	Classica yellow/color play	MD-25023-EN rev1	ILCD RT215	Gandrup	3176	52,0	165,15	2	69,6	11,5	36,3	6,0	73,1	12,1	112,0	18,5
RT215 DK-NF	Classica yellow/color play	MD-25023-EN rev1	ILCD RT215	Gandrup	2092	63,0	131,76	2	69,6	9,2	36,3	4,8	73,1	9,6	112,0	14,8
RT215 UK-NF	Classica yellow/color play	MD-25023-EN rev1	ILCD RT215	Gandrup	2304	60,0	138,21	2	69,6	9,6	36,3	5,0	73,1	10,1	112,0	15,5
RT220 DK-NF	Alpha yellow tommerup wirecut solid	MD-25022-EN rev1	ILCD RT220	Gandrup	2278	63,0	143,48	1	61,8	8,9	43,3	6,2	65,4	9,4	111,1	15,9
RT220 DK-NF	Alpha yellow tommerup wirecut	MD-25022-EN rev1	ILCD RT220	Gandrup	1734	63,0	109,24	1	61,8	6,8	43,3	4,7	65,4	7,1	111,1	12,1
RT240 DK-NF	Reclaimed yellow (Genbrugssten)	MD-23007-EN	ILCD Re-Use brick	Hammershøj	2194	63,0	138,22	1	17,5	2,4	26,5	3,7	17,8	2,5	43,8	6,1
RT243 DK-NF	Reclaimed red (Genbrugssten)	MD-23007-EN	ILCD Re-Use brick	Hammershøj	2194	63,0	138,22	1	17,5	2,4	26,5	3,7	17,8	2,5	43,8	6,1
RT247 DK-NF	ReClay EcoBlend #1	MD-25038-EN rev1	ILCD RT247	Hammershøj	2244	63,0	141,40	1	24,4	3,5	40,6	5,7	27,9	4,0	70,7	10,0
RT248 DK-NF	ReClay EcoBlend #2	MD-25038-EN rev1	ILCD RT248	Hammershøj	2225	63,0	140,19	1	24,1	3,4	40,9	5,7	27,6	3,9	70,7	9,9
RT30	Red Pavement tile	MD-25030-EN rev1	ILCD RT30	Hammershøj	2720	40,0	108,80	-	43,1	4,7	35,2	3,8	46,6	5,1	84,0	9,1
RT301 DK-NF	Alpha red smooth wirecut solid	MD-25024-EN rev2	ILCD RT301	Gandrup	2548	63,0	160,52	1	10,0	1,6	62,9	10,1	13,6	2,2	78,7	12,6

RT301 DK-NF	Alpha red smooth wirecut	MD-25024-EN rev2	ILCD RT301	Gandrup	1789	63,0	112,71	1	10,0	1,1	62,9	7,1	13,6	1,5	78,7	8,9
RT302 DK-NF	Alpha red oak wirecut	MD-25024-EN rev2	ILCD RT302	Gandrup	1789	63,0	112,71	1	10,0	1,1	40,9	4,6	13,6	1,5	56,7	6,4
RT302 DK-NF	Alpha red oak wirecut solid	MD-25024-EN rev2	ILCD RT302	Gandrup	2548	63,0	160,52	1	10,0	1,6	40,9	6,6	13,6	2,2	56,7	9,1
RT306 DK-NF	Alpha red antique wirecut	MD-25024-EN rev2	ILCD RT306	Gandrup	1789	63,0	112,71	1	10,0	1,1	40,9	4,6	13,6	1,5	56,7	6,4
RT306 DK-NF	Alpha red antique wirecut solid	MD-25024-EN rev2	ILCD RT306	Gandrup	2548	63,0	160,52	1	10,0	1,6	40,9	6,6	13,6	2,2	56,7	9,1
RT307 DK-17	Classica red soft - 17cm	MD-25025-EN rev1	ILCD RT307	Gandrup	3850	63,0	242,55	2	21,8	5,3	33,7	8,2	25,3	6,1	61,6	14,9
RT307 DK-17	Classica red soft - 17cm	MD-25030-EN rev1	ILCD RT307	Hammershøj	3830	63,0	241,29	2	39,8	9,6	30,2	7,3	43,3	10,5	75,8	18,3
RT307 DK-NF	Classica red soft	MD-25025-EN rev1	ILCD RT307	Gandrup	2220	63,0	139,86	2	21,8	3,0	33,7	4,7	25,3	3,5	61,6	8,6
RT307 DK-NF	Classica red soft	MD-25030-EN rev1	ILCD RT307	Hammershøj	2550	63,0	160,65	2	39,8	6,4	30,2	4,9	43,3	7,0	75,8	12,2
RT307 UK-NF	Classica red soft	MD-25025-EN rev1	ILCD RT307	Gandrup	2484	60,0	149,01	2	21,8	3,2	33,7	5,0	25,3	3,8	61,6	9,2
RT310 DE-NF	Classica dark red	MD-25026-EN rev1	ILCD RT310	Gandrup	3513	48,0	168,62	2	53,5	9,0	31,5	5,3	57,1	9,6	91,2	15,4
RT310 DE-RF	Classica dark red	MD-25026-EN rev1	ILCD RT310	Gandrup	3530	52,0	183,56	2	53,5	9,8	31,5	5,8	57,1	10,5	91,2	16,7
RT310 DK-NF	Classica dark red	MD-25026-EN rev1	ILCD RT310	Gandrup	2220	63,0	139,86	2	53,5	7,5	31,5	4,4	57,1	8,0	91,2	12,8
RT333 DK-NF	Rustica red	MD-25031-EN rev1	ILCD RT333	Hammershøj	2290	63,0	144,27	1	29,1	4,2	40,0	5,8	32,7	4,7	74,8	10,8
RT390 DK-17	Basic for water scrubbing - 17cm	MD-25030-EN rev1	ILCD RT390	Hammershøj	3830	63,0	241,29	1	36,9	8,9	32,3	7,8	40,5	9,8	75,0	18,1
RT390 DK-NF	Basic for water scrubbing	MD-25030-EN rev1	ILCD RT390	Hammershøj	2550	63,0	160,65	1	36,9	5,9	32,3	5,2	40,5	6,5	75,0	12,1
RT391 DK-NF	Basic for water scrubbing	MD-25007-EN rev1	ILCD RT391	Vindø	2221	63,0	139,92	1	62,5	8,7	40,9	5,7	66,1	9,2	109,2	15,3
RT392 DK-NF	Basic for water scrubbing	MD-25008-EN rev1	ILCD RT392	Vindø	2400	63,0	151,20	1	47,8	7,2	38,6	5,8	51,4	7,8	92,2	13,9
RT392 DK-NF	Basic for water scrubbing	MD-25030-EN rev1	ILCD RT392	Hammershøj	2400	63,0	151,20	1	35,4	5,4	38,6	5,8	39,0	5,9	79,7	12,1
RT404 DE-NF	Classica rotbunt	MD-25025-EN rev1	ILCD RT404	Gandrup	3513	48,0	168,60	1	68,8	11,6	27,7	4,7	72,3	12,2	102,6	17,3
RT406 DK-NF	Classica red/brown Kloster	MD-25030-EN rev1	ILCD RT406	Hammershøj	2550	63,0	160,65	2	37,1	6,0	32,5	5,2	40,7	6,5	75,4	12,1
RT412 DK-NF	Classica yellow/green Malakit	MD-25023-EN rev1	ILCD RT412	Gandrup	1996	63,0	125,72	2	67,0	8,4	42,8	5,4	70,6	8,9	115,8	14,6
RT418 DK-NF	Classica red/brown Fyrkat	MD-25009-EN rev1	ILCD RT418	Vindø	2447	63,0	154,16	1	12,5	1,9	38,0	5,9	16,1	2,5	56,3	8,7
RT425 DK-NF	Classica Rose Miletegl	MD-25026-EN rev1	ILCD RT425	Gandrup	2177	63,0	137,15	2	55,6	7,6	39,9	5,5	59,1	8,1	101,5	13,9
RT426 UK-NF	Classica rose reduced	MD-25026-EN rev1	ILCD RT426	Gandrup	2636	60,0	158,16	1	59,9	9,5	34,3	5,4	63,5	10,0	100,3	15,9
RT433 DE-RF	Classica golden Vesterhav	MD-25026-EN rev1	ILCD RT433	Gandrup	3469	52,0	180,36	2	58,4	10,5	34,7	6,3	61,9	11,2	99,1	17,9
RT433 DK-NF	Classica golden Vesterhav	MD-25026-EN rev1	ILCD RT433	Gandrup	2217	60,0	133,02	2	58,4	7,8	34,7	4,6	61,9	8,2	99,1	13,2
RT434 DK-NF	Prima Lava reduced	MD-25025-EN rev1	ILCD RT434	Gandrup	2220	63,0	139,86	2	27,9	3,9	37,5	5,2	31,5	4,4	71,6	10,0
RT434 UK-NF	Prima Lava reduced	MD-25025-EN rev1	ILCD RT434	Gandrup	2492	60,0	149,49	2	27,9	4,2	37,5	5,6	31,5	4,7	71,6	10,7
RT435 DK-NF	Classica Rose	MD-25026-EN rev1	ILCD RT435	Gandrup	2152	63,0	135,58	2	51,0	6,9	37,7	5,1	54,6	7,4	94,8	12,8
RT435 UK-NF	Classica Rose	MD-25026-EN rev1	ILCD RT435	Gandrup	2560	60,0	153,57	2	51,0	7,8	37,7	5,8	54,6	8,4	94,8	14,6
RT436 DK-NF	Classica red/brown Kirketegl	MD-25025-EN rev1	ILCD RT436	Gandrup	2220	63,0	139,86	2	19,9	2,8	37,8	5,3	23,4	3,3	63,7	8,9
RT436 UK-NF	Classica red/brown Kirketegl	MD-25025-EN rev1	ILCD RT436	Gandrup	2452	60,0	147,12	2	19,9	2,9	37,8	5,6	23,4	3,4	63,7	9,4
RT442 DK-NF	Prima Amber	MD-25023-EN rev1	ILCD RT442	Gandrup	2045	63,0	128,84	1	64,5	8,3	41,9	5,4	68,1	8,8	112,5	14,5
RT444 DK-NF	Rustica red/brown	MD-25031-EN rev1	ILCD RT444	Hammershøj	2290	63,0	144,27	2	29,1	4,2	40,0	5,8	32,7	4,7	74,8	10,8
RT445 DK-NF	Rustica red/brown Patina	MD-25031-EN rev1	ILCD RT445	Hammershøj	2290	63,0	144,27	2	29,4	4,2	40,0	5,8	32,9	4,8	75,1	10,8
RT448 DK-NF	Classica Siena	MD-25025-EN rev1	ILCD RT448	Gandrup	2220	63,0	139,86	2	20,2	2,8	39,2	5,5	23,7	3,3	65,5	9,2
RT448 UK-NF	Classica Siena	MD-25025-EN rev1	ILCD RT448	Gandrup	2499	60,0	149,91	2	21,6	3,2	37,5	5,6	25,2	3,8	65,2	9,8
RT450 DK-NF	Prima Palermo	MD-25010-EN rev1	ILCD RT450	Vindø	2380	63,0	149,92	1	44,8	6,7	38,8	5,8	48,3	7,2	89,4	13,4
RT452 DK-NF	Rustica Gotik	MD-25031-EN rev1	ILCD RT452	Hammershøj	2290	63,0	144,27	1	32,9	4,7	40,0	5,8	36,4	5,3	78,6	11,3
RT454 DK-NF	Rustica Giallo	MD-25031-EN rev1	ILCD RT454	Hammershøj	2200	63,0	138,60	2	84,7	11,7	41,2	5,7	88,3	12,2	131,7	18,2
RT455 DK-NF	Rustica Terracotta	MD-25031-EN rev1	ILCD RT455	Hammershøj	2290	63,0	144,27	2	32,8	4,7	40,0	5,8	36,3	5,2	78,5	11,3
RT456 DK-NF	Rustica Lumena	MD-25033-EN rev2	ILCD RT456	Hammershøj	2200	63,0	138,60	2	85,0	11,8	41,11	5,70	88,56	12,27	131,50	18,23
RT457 DK-NF	Rustica Castano	MD-25033-EN rev2	ILCD RT457	Hammershøj	2290	63,0	144,27	2	68,9	9,9	39,9	5,8	72,5	10,5	114,2	16,5
RT461 DK-NF	Prima Rosarno	MD-25024-EN rev2	ILCD RT461	Gandrup	2220	63,0	139,86	1	43,8	6,1	39,1	5,5	47,4	6,6	88,7	12,4
RT462 DK-NF	Prima Ravello	MD-25024-EN rev2	ILCD RT462	Gandrup	2220	63,0	139,86	1	18,3	2,6	39,1	5,5	21,9	3,1	63,2	8,8
RT469 DK-NF	Prima Bergamo	MD-25010-EN rev1	ILCD RT469	Vindø	2380	63,0	149,94	1	44,8	6,7	38,8	5,8	48,3	7,2	89,4	13,4
RT472 DK-NF	Prima Bellagio	MD-25008-EN rev1	ILCD RT472	Vindø	2309	63,0	145,46	1	61,5	8,9	39,3	5,7	65,0	9,5	106,5	15,5
RT473 DE-NF	Prima Como	MD-25008-EN rev1	ILCD RT473	Vindø	3323	48,0	159,50	1	62,1	9,9	39,6	6,3	65,6	10,5	107,5	17,1
RT473 DK-NF	Prima Como	MD-25008-EN rev1	ILCD RT473	Vindø	2261	63,0	142,45	1	62,1	8,8	39,6	5,6	65,6	9,3	107,5	15,3
RT474 DK-NF	Prima Torino	MD-25008-EN rev1	ILCD RT474	Vindø	2290	63,0	144,27	1	60,0	8,7	40,0	5,8	63,6	9,2	105,7	15,3
RT475 DK-NF	Prima Bari	MD-25009-EN rev1	ILCD RT475	Vindø	2434	63,0	153,35	1	27,0	4,1	37,5	5,8	30,5	4,7	70,3	10,8
RT477 DK-NF	Prima Montalcino	MD-25010-EN rev1	ILCD RT477	Vindø	2291	63,0	144,32	1	45,1	6,5	39,4	5,7	48,6	7,0	90,2	13,0
RT478 DE-NF	Prima Lecco	MD-25008-EN rev1	ILCD RT478	Vindø	3382	48,0	162,34	1	63,6	10,3	35,8	5,8	67,2	10,9	105,3	17,1
RT478 DK-NF	Prima Lecco	MD-25008-EN rev1	ILCD RT478	Vindø	2299	63,0	144,84	1	63,6	9,2	35,8	5,2	67,2	9,7	105,3	15,2
RT479 DK-NF	Prima Cortina	MD-25010-EN rev1	ILCD RT479	Vindø	2262	63,0	142,53	1	44,2	6,3	39,6	5,6	47,7	6,8	89,5	12,8
RT481 DK-NF	Classica red nuanced	MD-25025-EN rev1	ILCD RT481	Gandrup	2220	63,0	139,86	2	23,7	3,3	37,7	5,3	27,3	3,8	67,5	9,4

RT481 UK-NF	Classica red nuanced	MD-25025-EN rev1	ILCD RT481	Gandrup	2462	60,0	147,72	2	23,7	3,5	37,7	5,6	27,3	4,0	67,5	10,0
RT483 DK-NF	Classica old red	MD-25025-EN rev1	ILCD RT483	Gandrup	2220	63,0	139,86	2	22,5	3,1	36,6	5,1	26,1	3,6	65,2	9,1
RT483 UK-NF	Classica old red	MD-25025-EN rev1	ILCD RT483	Gandrup	2667	60,0	159,99	2	22,5	3,6	36,6	5,9	26,1	4,2	65,2	10,4
RT485 DK-NF	Prima Meda	MD-25023-EN rev1	ILCD RT485	Gandrup	2090	63,0	131,67	1	65,3	8,6	41,2	5,4	68,9	9,1	112,6	14,8
RT486 DK-NF	Prima Alba	MD-25023-EN rev1	ILCD RT486	Gandrup	2090	63,0	131,67	1	65,3	8,6	41,2	5,4	68,9	9,1	112,6	14,8
RT489 DK-NF	Prima Maroon ReClay	MD-25011-EN rev2	ILCD RT489	Vindø	2295	63,0	144,58	1	32,2	4,7	39,9	5,8	35,8	5,2	77,9	11,3
RT490 DK-NF	Prima Ruby ReClay	MD-25011-EN rev2	ILCD RT490	Vindø	2256	63,0	142,16	1	31,7	4,5	40,4	5,7	35,2	5,0	77,9	11,1
RT491 DK-NF	Prima Greystone ReClay	MD-25011-EN rev2	ILCD RT491	Vindø	2276	63,0	143,37	1	48,0	6,9	40,2	5,8	51,6	7,4	94,0	13,5
RT492 DK-NF	Prima Harvest ReClay	MD-25011-EN rev2	ILCD RT492	Vindø	2221	63,0	139,92	1	62,1	8,7	40,9	5,7	65,6	9,2	108,8	15,2
RT493 DK-NF	Prima Red Nordic ReClay	MD-25011-EN rev2	ILCD RT493	Vindø	2447	63,0	154,16	1	14,6	2,3	38,0	5,9	18,2	2,8	58,4	9,0
RT494 DK-NF	Prima Saga ReClay	MD-25011-EN rev2	ILCD RT494	Vindø	2295	63,0	144,59	1	48,1	7,0	40,2	5,8	51,6	7,5	94,0	13,6
RT496 DK-NF	Prima Messina	MD-25010-EN rev1	ILCD RT496	Vindø	2360	63,0	148,67	1	43,7	6,5	39,1	5,8	47,2	7,0	88,5	13,2
RT510 DK-NF	Unika blackish blue	MD-25030-EN rev1	ILCD RT510	Hammershøj	2550	63,0	160,65	2	82,7	13,3	36,9	5,9	86,2	13,9	125,3	20,1
RT512 DK-NF	Unika Novo	MD-25030-EN rev1	ILCD RT512	Hammershøj	2051	63,0	129,21	1	113,9	14,7	41,8	5,4	117,4	15,2	161,8	20,9
RT515 DK-NF	Rustica rokoko blackish blue	MD-25031-EN rev1	ILCD RT515	Hammershøj	2290	63,0	144,27	2	82,8	11,9	40,0	5,8	86,3	12,5	128,5	18,5
RT522 DK-NF	Unika Alexandria	MD-25034-EN rev1	ILCD RT522	Hammershøj	2540	63,0	160,02	1	193,5	31,0	37,0	5,9	197,1	31,5	236,2	37,8
RT526 DK-NF	Unika Windsor	MD-25032-EN rev1	ILCD RT526	Hammershøj	2400	63,0	151,20	1	60,5	9,1	34,8	5,3	64,1	9,7	101,1	15,3
RT529 DK-NF	Unika Lombardia	MD-25032-EN rev1	ILCD RT529	Hammershøj	2560	63,0	161,28	1	32,6	5,3	36,8	5,9	36,1	5,8	75,1	12,1
RT532 DK-NF	Unika Villanova	MD-25034-EN rev1	ILCD RT532	Hammershøj	2290	63,0	144,27	1	109,6	15,8	40,0	5,8	113,1	16,3	155,3	22,4
RT533 DK-NF	Unika Medusa	MD-25032-EN rev1	ILCD RT533	Hammershøj	2400	63,0	151,20	1	60,5	9,1	38,6	5,8	64,1	9,7	104,8	15,9
RT534 DK-NF	Unika Parma	MD-25032-EN rev1	ILCD RT534	Hammershøj	2380	63,0	149,94	1	74,4	11,2	38,8	5,8	77,9	11,7	118,9	17,8
RT537 DK-NF	Unika Poseidon	MD-25032-EN rev1	ILCD RT537	Hammershøj	2400	63,0	151,20	1	60,2	9,1	38,6	5,8	63,8	9,6	104,5	15,8
RT539 DK-NF	Unika Hermes	MD-25032-EN rev1	ILCD RT539	Hammershøj	2360	63,0	148,68	1	152,8	22,7	39,1	5,8	156,4	23,3	197,7	29,4
RT542 DK-NF	Unika Apollon	MD-25033-EN rev2	ILCD RT542	Hammershøj	2540	63,0	160,02	1	65,6	10,5	36,9	5,9	69,2	11,1	107,9	17,3
RT545 DK-NF	Unika Atlas	MD-25034-EN rev1	ILCD RT545	Hammershøj	2290	63,0	144,27	1	111,0	16,0	40,0	5,8	114,6	16,5	156,7	22,6
RT546 DK-NF	Unika Attika	MD-25033-EN rev2	ILCD RT546	Hammershøj	2540	63,0	160,02	1	191,0	30,6	36,9	5,9	194,6	31,1	233,3	37,3
RT547 DE-NF	Unika Helios	MD-25034-EN rev1	ILCD RT547	Hammershøj	3565	48,0	171,12	1	115,1	19,7	34,5	5,9	118,6	20,3	155,4	26,6
RT547 DK-NF	Unika Helios	MD-25034-EN rev1	ILCD RT547	Hammershøj	2290	63,0	144,27	1	115,1	16,6	34,5	5,0	118,6	17,1	155,4	22,4
RT548 DK-NF	Unika Hera	MD-25033-EN rev2	ILCD RT548	Hammershøj	2540	63,0	160,02	1	192,0	30,7	36,6	5,9	195,6	31,3	234,0	37,5
RT550 DK-NF	Unika Kronos	MD-25034-EN rev1	ILCD RT550	Hammershøj	2225	63,0	140,18	1	160,2	22,4	35,0	4,9	163,7	22,9	200,9	28,2
RT551 DK-FF	Unika Argos	MD-25033-EN rev2	ILCD RT551	Hammershøj	1880	80,0	150,40	1	177,0	26,6	41,4	6,2	180,6	27,2	223,8	33,7
RT551 DK-NF	Unika Argos	MD-25033-EN rev2	ILCD RT551	Hammershøj	2350	63,0	148,05	1	177,0	26,2	41,4	6,1	180,6	26,7	223,8	33,1
RT552 DK-NF	Unika Lithos	MD-25033-EN rev2	ILCD RT552	Hammershøj	2290	63,0	144,27	1	154,0	22,2	39,9	5,8	157,6	22,7	199,3	28,8
RT553 DK-FF	Unika Gaia	MD-25035-EN rev1	ILCD RT553	Hammershøj	1670	80,0	133,60	1	69,4	9,3	44,5	5,9	73,0	9,8	119,6	16,0
RT553 DK-NF	Unika Gaia	MD-25035-EN rev1	ILCD RT553	Hammershøj	2130	63,0	134,19	1	69,4	9,3	44,5	6,0	73,0	9,8	119,6	16,1
RT554 DK-FF	Unika Eos	MD-25035-EN rev1	ILCD RT554	Hammershøj	1670	80,0	133,60	1	69,3	9,3	44,5	5,9	72,8	9,7	119,5	16,0
RT554 DK-NF	Unika Eos	MD-25035-EN rev1	ILCD RT554	Hammershøj	2130	63,0	134,19	1	69,3	9,3	44,5	6,0	72,8	9,8	119,5	16,0
RT556 DK-FF	Unika Selene	MD-25034-EN rev1	ILCD RT556	Hammershøj	1880	80,0	150,40	1	180,2	27,1	41,5	6,2	183,7	27,6	227,4	34,2
RT557 DK-NF	Unika Milos	MD-25035-EN rev1	ILCD RT557	Hammershøj	2540	63,0	160,02	1	65,6	10,5	37,0	5,9	69,1	11,1	108,3	17,3
RT562 DK-FF	Unika Ares	MD-25035-EN rev1	ILCD RT562	Hammershøj	1670	80,0	133,60	1	63,0	8,4	51,3	6,9	66,5	8,9	119,9	16,0
RT563 DK-FF	Unika Metis	MD-25035-EN rev1	ILCD RT563	Hammershøj	1670	80,0	133,60	1	64,5	8,6	51,3	6,9	68,0	9,1	121,4	16,2
RT570 DK-NF	Fusion	MD-25036-EN rev3	ILCD RT570	Hammershøj	2290	63,0	144,27	1	83,1	12,0	39,9	5,8	86,7	12,5	128,4	18,5
RT571 DK-NF	Fusion	MD-25036-EN rev3	ILCD RT571	Hammershøj	2395	63,0	150,89	1	41,9	6,3	35,9	5,4	45,5	6,9	83,3	12,6
RT576 DK-NF	Fusion	MD-25037-EN rev2	ILCD RT576	Hammershøj	2349	63,0	148,00	1	86,0	12,7	37,9	5,6	89,6	13,3	129,3	19,1
RT578 DK-NF	Fusion	MD-25038-EN rev1	ILCD RT578	Hammershøj	2404	63,0	151,45	1	91,0	13,8	38,6	5,8	94,5	14,3	135,3	20,5
RT579 DK-NF	Fusion	MD-25038-EN rev1	ILCD RT579	Hammershøj	2348	63,0	147,93	1	93,1	13,8	39,6	5,9	96,6	14,3	138,4	20,5
RT581 DK-NF	Fusion	MD-25037-EN rev2	ILCD RT581	Hammershøj	2308	63,0	145,40	1	59,9	8,7	37,1	5,4	63,5	9,2	102,6	14,9
RT582 DK-NF	Fusion	MD-25036-EN rev3	ILCD RT582	Hammershøj	2246	63,0	141,50	1	79,1	11,2	38,2	5,4	82,7	11,7	122,8	17,4
RT583 DK-NF	Fusion	MD-25036-EN rev3	ILCD RT583	Hammershøj	2291	63,0	144,33	1	71,1	10,3	36,5	5,3	74,7	10,8	113,1	16,3
RT712 DK-NF	Basic indoor water scrubbing	MD-25008-EN rev1	ILCD RT712	Vindø	2400	63,0	151,20	1	65,2	9,9	38,6	5,8	68,8	10,4	109,6	16,6
RT720 DK-17	Basic indoor water scrubbing - 17cm	MD-25027-EN rev1	ILCD RT720	Gandrup	3352	63,0	211,18	1	70,4	14,9	34,4	7,3	74,0	15,6	110,9	23,4
RT720 DK-NF	Basic indoor water scrubbing	MD-25027-EN rev1	ILCD RT720	Gandrup	2157	63,0	135,86	1	70,4	9,6	34,4	4,7	74,0	10,0	110,9	15,1
RT730 DK-NF	Basic INDOOR light wirecut solid	MD-25027-EN rev1	ILCD RT730	Gandrup	2230	63,0	140,46	1	39,6	5,6	43,3	6,1	43,1	6,1	88,9	12,5
RT730 DK-NF	Basic INDOOR light wirecut	MD-25027-EN rev1	ILCD RT730	Gandrup	1793	63,0	112,93	1	39,6	4,5	43,3	4,9	43,1	4,9	88,9	10,0
RT730 DK-NF	Basic INDOOR light wirecut	MD-25027-EN rev1	ILCD RT730	Gandrup	1793	63,0	112,93	1	39,6	4,5	43,3	4,9	43,1	4,9	88,9	10,0
RT801-NF	Red Højslev Normalformat	MD-25091-EN rev1	ILCD RT801	Højslev	2671	12,2	32,59	-	66,6	2,2	37,4	1,2	70,1	2,3	109,4	3,6
RT804-S Format	Red Højslev S-format	MD-25091-EN rev1	ILCD RT804	Højslev	3507	10,5	36,82	-	72,6	2,7	31,2	1,1	76,1	2,8	109,3	4,0

RT806-LD	Red Højslev small danish	MD-25089-EN rev1	ILCD RT806	Højslev	2652	13,8	36,60	-	66,4	2,4	37,6	1,4	69,9	2,6	109,4	4,0
RT807-LD	Brown Højslev small danish	MD-25089-EN rev1	ILCD RT807	Højslev	2800	13,8	38,64	-	95,3	3,7	36,2	1,4	98,9	3,8	137,0	5,3
RT810-LD	Bluedamped Højslev small danish	MD-25089-EN rev1	ILCD RT810	Højslev	2652	13,8	36,60	-	159,8	5,8	37,6	1,4	163,4	6,0	202,9	7,4
RT811-LD	Yellow Højslev small danish	MD-25089-EN rev1	ILCD RT811	Højslev	2743	13,8	37,85	-	312,2	11,8	36,7	1,4	315,8	12,0	354,4	13,4
RT823-Skandinavia	Red Højslev Skandinavia	MD-25090-EN rev1	ILCD RT823	Højslev	2832	13,0	36,82	-	68,0	2,5	35,9	1,3	71,5	2,6	109,4	4,0
RT824-Skandinavia	Bluedamped Højslev Skandinavia	MD-25090-EN rev1	ILCD RT824	Højslev	2832	13,0	36,82	-	161,4	5,9	35,9	1,3	165,0	6,1	202,8	7,5
RT825-LI-Hillerød	Red Højslev small Hillerød	MD-25091-EN rev1	ILCD RT825	Højslev	2838	17,1	48,53	-	68,0	3,3	35,9	1,7	71,6	3,5	109,4	5,3
RT828-Skandinavia	Black engobed Højslev Skandinavia	MD-25090-EN rev1	ILCD RT828	Højslev	2834	13,0	36,84	-	72,6	2,7	35,9	1,3	76,1	2,8	114,0	4,2
RT831 RV	RT 831 Red engobed Laumans	MD-25189-EN	ILCD RT831	Laumans	3394	14,3	48,53	-	212,5	10,3	33,7	1,6	216,2	10,5	248,2	12,0
RT833 RV	RT 833 Xenon grey engobed Laumans	MD-25189-EN	ILCD RT833	Laumans	3394	14,3	48,53	-	213,5	10,4	33,7	1,6	217,1	10,5	249,1	12,1
RT834 RV	RT 834 Nature red Laumans	MD-25189-EN	ILCD RT834	Laumans	3394	14,3	48,53	-	211,6	10,3	33,7	1,6	215,3	10,4	247,3	12,0
RT836 RV	RT 836 Graphite noble engobed Laumans	MD-25189-EN	ILCD RT836	Laumans	3394	14,3	48,53	-	214,7	10,4	33,7	1,6	218,3	10,6	250,3	12,1
RT838 RV	RT 838 Antic engobed Laumans	MD-25189-EN	ILCD RT838	Laumans	3394	14,3	48,53	-	213,1	10,3	33,7	1,6	216,7	10,5	248,7	12,1
RT840-LD	Black engobed Højslev small danish	MD-25089-EN rev1	ILCD RT840	Højslev	2641	13,8	36,45	-	71,2	2,6	37,7	1,4	74,7	2,7	114,4	4,2
RT841 IV	RT 841 Red engobed Laumans	MD-25190-EN	ILCD RT841	Laumans	3504	14,2	49,76	-	213,7	10,6	33,1	1,6	217,4	10,8	248,8	12,4
RT843 IV	RT 843 Graphite noble engobed Laumans	MD-25190-EN	ILCD RT843	Laumans	3504	14,2	49,76	-	214,5	10,7	33,1	1,6	218,1	10,9	249,5	12,4
RT844 IV	RT 844 Nature red Laumans	MD-25190-EN	ILCD RT844	Laumans	3504	14,2	49,76	-	213,4	10,6	33,1	1,6	217,0	10,8	248,4	12,4
RT845 IV	RT 845 Black noble engobed Laumans	MD-25190-EN	ILCD RT845	Laumans	3504	14,2	49,76	-	215,0	10,7	33,1	1,6	218,6	10,9	250,0	12,4
RT846 IV	RT 846 Xenon grey engobed Laumans	MD-25190-EN	ILCD RT846	Laumans	3504	14,2	49,76	-	214,4	10,7	33,1	1,6	218,0	10,8	249,4	12,4
RT848 IV	RT 848 Antic engobed Laumans	MD-25190-EN	ILCD RT848	Laumans	3504	14,2	49,76	-	213,1	10,6	33,1	1,6	216,7	10,8	248,1	12,3
RT850 IV	RT 850 Black glazed Laumans	MD-25191-EN	ILCD RT850	Laumans	3504	14,2	49,76	-	217,7	10,8	33,1	1,6	221,3	11,0	252,7	12,6
RT855 IV	RT 855 Malakit green glazed Laumans	MD-25191-EN	ILCD RT855	Laumans	3504	14,2	49,76	-	217,6	10,8	33,07	1,65	221,18	11,01	252,57	12,57
RT856 IV	RT 856 Black matte glazed Laumans	MD-25191-EN	ILCD RT856	Laumans	3504	14,2	49,76	-	215,8	10,7	33,07	1,65	219,38	10,92	250,78	12,48
RT857 IV	RT 857 Ocher brown glazed Laumans	MD-25191-EN	ILCD RT857	Laumans	3504	14,2	49,76	-	215,6	10,7	33,07	1,65	219,18	10,91	250,57	12,47
RT858 IV	RT 858 Grey matte glazed Laumans	MD-25191-EN	ILCD RT858	Laumans	3504	14,2	49,76	-	220,1	11,0	33,07	1,65	223,76	11,13	255,15	12,70
RT860 XLT	RT 860 Black glazed Laumans	MD-25192-EN	ILCD RT860	Laumans	3548	12,2	43,29	-	217,9	9,4	32,82	1,42	221,51	9,59	252,66	10,94
RT862 XLT	RT 862 Black matte glazed Laumans	MD-25192-EN	ILCD RT862	Laumans	3548	12,2	43,29	-	217,0	9,4	32,82	1,42	220,57	9,55	251,72	10,90
RT863 XLT	RT 863 Grey matte glazed Laumans	MD-25192-EN	ILCD RT863	Laumans	3548	12,2	43,29	-	220,8	9,6	32,82	1,42	224,39	9,71	255,54	11,06
RT867 XLT	RT 867 Rustique engobed Laumans	MD-25192-EN	ILCD RT867	Laumans	3548	12,2	43,29	-	213,1	9,2	32,82	1,42	216,75	9,38	247,90	10,73
RT870 XLT	RT 870 Black noble engobed Laumans	MD-25192-EN	ILCD RT870	Laumans	3548	12,2	43,29	-	216,3	9,4	32,82	1,42	219,94	9,52	251,09	10,87
RT871 XLT	RT 871 Red engobed Laumans	MD-25193-EN	ILCD RT871	Laumans	3548	12,2	43,29	-	213,8	9,3	32,82	1,42	217,42	9,41	248,57	10,76
RT874 XLT	RT 874 Nature red Laumans	MD-25193-EN	ILCD RT874	Laumans	3548	12,2	43,29	-	212,6	9,2	32,82	1,42	216,20	9,36	247,35	10,71
RT875 XLT	RT 875 Graphite noble engobed Laumans	MD-25193-EN	ILCD RT875	Laumans	3548	12,2	43,29	-	215,6	9,3	32,82	1,42	219,18	9,49	250,33	10,84
RT876 XLT	RT 876 Xenon-grå engoberet Laumans	MD-25193-EN	ILCD RT876	Laumans	3548	12,2	43,29	-	213,5	9,2	32,82	1,42	217,13	9,40	248,29	10,75
RT877 XLT	RT 877 Grå ædel-engoberet Laumans	MD-25193-EN	ILCD RT877	Laumans	3548	12,2	43,29	-	216,4	9,4	32,82	1,42	220,06	9,53	251,21	10,87
RT878 XLT	RT 878 Antik engoberet Laumans	MD-25193-EN	ILCD RT878	Laumans	3548	12,2	43,29	-	213,6	9,2	32,82	1,42	217,23	9,40	248,39	10,75
RT880 MV	RT 880 Nature red Laumans	MD-25194-EN	ILCD RT880	Laumans	3517	14,3	50,29	-	213,3	10,7	32,99	1,66	216,94	10,91	248,26	12,49
RT881 MV	RT 881 Red engobed Laumans	MD-25194-EN	ILCD RT881	Laumans	3517	14,3	50,29	-	213,5	10,7	32,99	1,66	217,08	10,92	248,40	12,49
RT882 MV	RT 882 Brown glazed Laumans	MD-25194-EN	ILCD RT882	Laumans	3517	14,3	50,29	-	215,9	10,9	32,99	1,66	219,48	11,04	250,80	12,61
RT883 MV	RT 883 Black glazed Laumans	MD-25194-EN	ILCD RT883	Laumans	3517	14,3	50,29	-	217,9	11,0	32,99	1,66	221,55	11,14	252,87	12,72
RT886 MV	RT 886 Xenon grey engobed Laumans	MD-25194-EN	ILCD RT886	Laumans	3517	14,3	50,29	-	213,0	10,7	32,99	1,66	216,64	10,90	247,96	12,47
RT888 MV	RT 888 Antic engobed Laumans	MD-25194-EN	ILCD RT888	Laumans	3517	14,3	50,29	-	214,2	10,8	32,99	1,66	217,84	10,96	249,16	12,53
RT915 DK-NF	Basic 4-OUTDOOR	MD-25027-EN rev1	ILCD RT915	Gandrup	2220	63,0	139,86	1	14,9	2,1	39,2	5,5	18,5	2,6	60,2	8,4
RT916 DK-NF	Basic 4-OUTDOOR	MD-25027-EN rev1	ILCD RT916	Gandrup	1777	63,0	111,95	1	61,4	6,9	47,1	5,3	65,0	7,3	114,5	12,8
Sålbænk	Window brick	MD-25012-EN rev1	ILCD Sålbænk	Vindø	1700			-	6,0		50,6		9,6		62,3	